



PEA motor optimized
20 mm copper/aluminum voice coil
Aluminum former
Neodymium N42 grade magnet
Axial ventilation
CNC Avional faceplate
Cellulose fiber exponential cone
ABS basket with self damping system
Balanced symmetrical construction
Conex® progressive spider
Computer optimized design
Motor metal parts CNC machined





ABS basket reinforced with fiberglass. The baskest have been engineered in order to obtain the maximum in terms of torsional rigidity (bending), but at the same time offer the minimum resistance to the passage of air. Pressed paper cone with waterproof treatment. It is widely recognized that cones made of paper are the best marriage of lightness, stiffness and the ability of the cone to dampen any unwanted vibration (read: distortion). High damping single wave Perbunan rubber. The Perbunan rubber edge is much more stable when the temperature changes than the classic rubber. The 20 mm voice coil uses an aluminum support and a winding with a double layer technology of copper wire with an aluminum core. Neodymium N42 magnet, a type of magnet with significantly higher performance than the classic "standard" ones.

| SPECIFICATIONS   |   |         |        |  |  |
|--|---|---------|--------|--|--|
| Technical Characteristics                                | Symbol                                  | Value   | Units  |  |  |
| GENERAL DATA   |   |         |        |  |  |
| Overall Dimension  | Dxh                                     | 61 x 43 | mm     |  |  |
| Nominal Power Handling (AES)*                            | Р                                       | 60      | W      |  |  |
| Transient Power *  | Pp                                      | 120     | W      |  |  |
| Sensivity 1W/1m  | SPL                                     | 83      | dB SPL |  |  |
| Frequency Response                                       | 100 - 22000                             |         | Hz     |  |  |
| Cone Material  | Cellulose fibres and epoxy resin matrix |         |        |  |  |
| *Nominal and Transiet power @ High Pass 150Hz - 12db/Oct |   |         |        |  |  |

| ELECTRICAL DATA                  |                     |          |    |  |  |
|----------------------------------|---------------------|----------|----|--|--|
| Nominal Impedance                | Z                   | 4        | Ω  |  |  |
| DC Resistance                    | Ω                   | 3.7      | Ω  |  |  |
| Voice coil Inductance            | Lbm                 | 0.149    | μH |  |  |
| VOICE COIL AND MAGNET PARAMETERS |                     |          |    |  |  |
| Voice Coil Diameter              | Dia                 | 20       | mm |  |  |
| Voice coil Height                | h                   | 6.0      | mm |  |  |
| Magnetic Gap Height              | HE                  | 6.0      | mm |  |  |
| Max Linear excursion             | Xmax                | ±3.0     | mm |  |  |
| Voice Coil Former                | Aluminum            |          |    |  |  |
| Number of layers                 | n                   | 2        |    |  |  |
| Magnet System                    | Neodymium N42 grade |          |    |  |  |
| Efficiency                       | η°                  | 0.109    | %  |  |  |
| BL Product                       | BxL                 | 2.08     | Na |  |  |
| Magnet dimension                 | ØxØxh               | 19.5X6.5 | mm |  |  |

| T&S PARAMETERS        |     |       |     |  |  |
|-----------------------|-----|-------|-----|--|--|
| Suspension Compilance | Cms | 0.742 | N/m |  |  |
| Mechanical Q Factor   | Qms | 3.428 |     |  |  |
| Electrical Q Factor   | Qes | 1.286 |     |  |  |
| Total Q Factor        | Qts | 0.935 |     |  |  |
| Moving Mass           | mms | 1.65  | g   |  |  |
| Eq. Comp. Air Load    | VAS | 0.492 | I   |  |  |
| Resonance Frequency   | Fs  | 143.5 | Hz  |  |  |
| Effective Piston Area | SD  | 21.65 | cm² |  |  |





All measurements in millimeters