

GROUND ZERO[®]

GERMAN ENGINEERING

NUCLEAR-SERIES

25mm SILKDOME TWEETER

ANLEITUNG / OWNER'S MANUAL

GZNT 25SQ

"MADE IN GERMANY"

Vielen Dank, dass Sie sich für ein Ground Zero Nuclear High End Lautsprechersystem entschieden haben.

Dieses Produkt wurde in Deutschland für höchste klangliche Ansprüche entwickelt.

Selektierte, edelste Materialien und mit Klippel optimierte Lautsprecher sorgen für eine herausragende Performance.

Um den einwandfreien Betrieb dieses Systems zu gewährleisten, bitten wir Sie, die folgende Anleitung zu beachten.

Thank you for purchasing a Ground Zero Nuclear high end speaker system.

This product is designed, engineered and produced in Germany for highest sound quality demands.

Selected, noblest parts and with Klippel optimised speakers lead to an outstanding performance.

Please consider the following instruction to guarantee the correct operation of this system.

Technische Daten / Specifications

- 25 mm Hochtöner mit 2-lagig beschichteter Seiden-Kalotte
 - Bedämpftes Koppelvolumen für eine niedrige Resonanzfrequenz
 - Hocheffizienter Neodym-Motor
 - Schwarz matt eloxiertes Aluminium Gehäuse
-
- *1" Tweeter with 2 layer coated silk dome*
 - *Damped coupled chamber for a low resonance frequency*
 - *High efficient neodymium motor*
 - *Black matt anodised aluminium housing*

Model	GZNT 25SQ
Durchmesser / Diameter	25 mm / 1"
Impedanz / Impedance	4 Ω
Resonanzfrequenz / Resonance frequency	750 Hz
Frequenzgang / Frequency response	2000 Hz – 28 KHz
Power RMS / Max	80 W RMS / 130 W Max @ 2500 HZ HPF / 12dB
SPL	90 dB

Frequenzgang / Frequency response

